## KANSAS CERTIFICATE OF IMMUNIZATIONS (KCI)

This record is part of the student's permanent record and shall be transferred from one school to another as defined in Section 72-5209 (d) of the Kansas School Immunization Law (amended 1994.) Student Name: \_\_\_\_\_\_ Address: \_\_\_\_\_ Parent or Guardian Name: Phone: \_ County: \_\_\_\_\_ RECORD THE MONTH, DAY, AND YEAR THAT EACH DOSE OF VACCINE WAS RECEIVED. VACCINE 1st 7th 2nd 3rd 4th 5th 6th DT DTaP Td Tdap | DT DTaP Td Tdap DTaP/DT/Td/Tdap (Diphtheria, Tetanus, Pertussis) Required for school entry. State Type If additional doses are added. Polio Required for school entry. please initial the dose and sign below: HEP B (Hepatitis B) Required for school entry through Grade 9 for 2009-2010 school year. Recommended for all children. Varicella (Chickenpox) Required for school entry through Grade 9 for Hx of Disease: Date of Illness: 2009-2010 school year. Recommended for all children. Physician Signature: MMR Me/Mu/Ru MMR Me/Mu/Ru MMR (Measles, Mumps, and Rubella combined) Required for school entry. Influenza (Flu) Recommended annually for ages 6mo - 18 yrs. Not required for school entry. HIB (Haemophilus Influenzae Type B) Required < 5 years of age for preschool or child care operated by a school. PCV7 (Pneumococcal Conjugate) Required < 5 years of age for preschool or child care operated by a school. HEP A (Hepatitis A) Required < 5 years of age for preschool or child care operated by a school. MCV4 (Meningococcal) Recommended ≥ 11 yrs. Not required for school entrv. HPV (Human Papillomavirus) Recommended for females ≥ 11 yrs. Not required for school entry. Rotavirus Recommended < 8 mo. Not required for school entry. **LEGAL ALTERNATIVES TO VACCINATION REQUIREMENTS "KSA 72-5209"** DOCUMENTATION KCI MAY ONLY BE SIGNED BY A PHYSICIAN (MD/DO), HEALTH DEPT, OR SCHOOL. I certify I reviewed this student's vaccination record and transcribed it accurately 1. "Annual written statement signed by a licensed physician (Medical Doctor/M.D. or Doctor of Osteopathy/D.O.) stating the physical condition of the child to be such that the tests or inoculations would seriously endanger the life or health of the child." Medical exemption Agency Name: \_\_\_ shall be validated annually by physician completion of KCI Form B and attachment to the KCI. Authorized Representative: \_\_\_\_\_ KCI FORM B - MEDICAL EXEMPTION is located at http://www.kdheks.gov/immunize/imm manual pdf/KCI formB.pdf The record presented was: Date \_\_\_\_\_ 2. "Written statement signed by one parent or quardian that the child is an adherent of a religious denomination whose religious teachings are opposed to such tests or inoculations." Other Immunization Record (Specify) KANSAS IMMUNIZATION PROGRAM I give my consent for information contained on this form to be released to the Kansas Immunization 1000 SW Jackson, Suite 210, Topeka, KS 66612-1274 Program for the purpose of assessment and reporting. PHONE 785-296-5591 FAX 785-296-6510

Parent/Legal Guardian's Signature

Date

Rev 02/06/2009

WEB SITE www.kdheks.gov/immunize

## KANSAS IMMUNIZATION REQUIREMENTS: Based on age of child as of September 1 of current school year.

As per Kansas Statute 72-5209, all children upon entry to school must be appropriately vaccinated. In each column below, vaccines are required for all ages listed in that column.

Ages 0-4		Ages 5-6	Ages 7 and Older
Recommended Schedule		DTaP/*DT: 5 doses	Tdap/Td: 3 doses if DTaP/DT series not completed previously†
Birth	HEP B	a) 4 week minimum interval between doses, with at least 6 months between dose 3	Must have Tdap as one of the 3 doses
2 Months	DTaP/DT POLIO HEP B HIB PCV7 ROTAVIRUS	and dose 4.  b) 4 doses acceptable if dose 4 given on or after the 4th birthday.  c) If dose 4 is administered before the 4th birthday, a 5th dose must be given at 4-6 years of age.  * If 1st DT dose given at <12 months of age, 4 doses recommended; acceptable only when Pertussis component is contraindicated by the physician.  * If 1st DT dose given at 12 months or older, 3 doses complete primary series;	<ul> <li>a) 4 week minimum interval between dose 1 and 2.</li> <li>b) 6 month interval between dose 2 and dose 3.</li> <li>Booster dose of Tdap is required at 11 years of age if more than 2 yrs since previous dose. For adolescents older than 11 years of age, Tdap booster required 10 years after the completion of the primary series or previous dose. If pertussis is contraindicated, KCI Form B Medical Exemption should be completed by a physician.</li> </ul>
4 Months	DTaP/DT POLIO	acceptable only when Pertussis component is contraindicated by the physician.  The limit for DTaP vaccine is 6 doses, regardless of schedule.	POLIO - All IPV or OPV Schedule 4 doses of POLIO are acceptable IF:
	НІВ	POLIO:	a) 4 week minimum interval between doses, regardless of age given.
	PCV7	4 doses of POLIO are acceptable IF:	3 doses of POLIO are acceptable IF:
	ROTAVIRUS	a)4 week minimum interval between doses, regardless of age given.  3 doses of POLIO (all IPV) are acceptable IF:	<ul> <li>a) 4 week minimum interval between each dose, with 1 dose given on or after the 4th birthday.</li> </ul>
6 Months	DTaP/DT POLIO	a) 4 week minimum interval between each dose, with 1 dose given on or after the	POLIO - IPV/OPV Combination Schedule
		4th birthday.	4 doses of POLIO are acceptable IF:
	HEP B HIB	The limit for POLIO vaccine is 5 doses, regardless of schedule.	a) 4 week minimum interval between each dose, regardless of age given. Three doses of a combination schedule are NOT acceptable.
	PCV7	MMR: 2 doses	The limit for POLIO vaccine is 5 doses, regardless of schedule.
12-15 Months	ROTAVIRUS DTaP/DT	a) First dose must be on or after the 1st birthday.     b) 4 week minimum interval between doses.	MMR: 2 doses
	MMR	Single antigen measles vaccine will not meet requirements without the addition of	a) First dose must be on or after the 1st birthday.
	VAR	mumps and rubella vaccine.	b) 4 week minimum interval between doses.
Recommendation the ACIP recomm		VARICELLA: 2 doses required for Kindergarten for 2009-10 school year  1 dose required for Grades 1-9 for 2009-10 school year  a) First dose must be on or after the 1st birthday. b) None required if prior varicella disease verified. c) Two doses are recommended for all children.	VARICELLA: 1 dose required through Grade 9 for 2009-10 school year  a) First dose must be on or after the 1st birthday. b) None required if prior varicella disease verified. c) Two doses are recommended for all children.
schedule.†		HEPATITIS B: 3 doses required through Grade 9 for 2009-10 school year	HEPATITIS B: 3 doses required through Grade 9 for 2009-10 school year
		a) 4 week minimum interval between dose 1 and dose 2.	a) 4 week minimum interval between dose 1 and dose 2.
		b) 8 week minimum interval between dose 2 and dose 3.	b) 8 week minimum interval between dose 2 and dose 3.
		c) 16 week minimum interval between dose 1 and dose 3.  Dose 3 must be given after 24 wks of age.	c) 16 week minimum interval between dose 1 and dose 3.
. The AGID OF		Dose o must be given alter 24 who or age.	d) Dose 3 must be given after 24 wks of age.

† - The ACIP Schedules may be accessed at: http://www.cdc.gov/vaccines/recs/schedules

All students will be required to have 3 doses of Hep B and 2 doses of Varicella for the 2010-2011 school year.

Vaccine doses given up to 4 days before the minimum interval or age may be considered valid.

With the exception of Hepatitis B vaccine, immunizations given before 6 weeks of age are not considered valid.

Half doses or reduced doses of vaccine are not considered valid.

## PARENTS AND/OR GUARDIANS ARE NOT AUTHORIZED TO COMPLETE KCI FORMS.

KCI FORM B - MEDICAL EXEMPTION is located at http://www.kdheks.gov/immunize/imm\_manual\_pdf/KCI\_formB.pdf

A ROSTER WITH THE NAMES OF ALL EXEMPT STUDENTS SHOULD BE MAINTAINED. PARENTS OR GUARDIANS OF EXEMPT CHILDREN SHOULD BE INFORMED THAT THEIR CHILDREN SHALL
BE EXCLUDED FROM SCHOOL IN THE EVENT OF AN OUTBREAK OR SUSPECTED CASE OF A VACCINE-PREVENTABLE DISEASE.